

Statutory Order no. 437 of 02/05/2011 Applicable

Date published: 13-05-2011

Ministry of Health

Overview (table of contents)

Appendix 1

The full text

Statutory Order on an amendment to the Statutory Order on limit values, measurement methods, labelling, description of goods etc. for tobacco products.

Section 1

The following changes are made to Statutory Order No. 172 of 28 February 2011:

1. *Appendix 2* is to be regarded as appendix 1 to this Statutory Order.

Section 2

The Order will come into effect on 20 May 2011.

The Ministry of Health, 2 May 2011

Bertel Haarder

pp Steen Hartvig Hansen

Appendix 1

>> Appendix 2



Combined warnings



Smoking reduces your lifetime



Smoking clogs your arteries, leading to heart attacks and strokes



Smoking causes fatal lung cancer



Smoking is extremely addictive: don't start



Stop smoking if you want to reduce the risk of fatal heart and lung diseases



Smoking can cause a slow and painful death



Smoking ages the skin



Smoking can harm your semen and reduce fertility



Smoking can reduce blood circulation and cause impotence



Reg indeholder **benzen** Smoke contains benzene, nitrosamins, formaldehyde and hydrogen cyanide



Hvis du er gravid, **skader** rygning dit barns sundhed

If you are pregnant, smoking will harm your child's health



Beskyt barn mod tobaksrøg: de har ret til selv at vælge

Protect your child against tobacco smoke: they have the right to choose themselves



Din læge eller din apoteker kan hjælpe dig med at holde op med at ryge

Your doctor or pharmacist can help you to stop smoking



Få hjælp til at holde op med at ryge **80 31 31 31**

Get help to stop smoking